



- 8' x 46" Cattle Feeder - Our Most Popular Feeder
- Approximate Weight - 100 Lbs.
- Withstands Temperatures to -180° F

- Optional Skirting or Additional Bar Kits Available!
- For All Livestock, Including Bison!

CENTURY

Livestock Feeders, Inc.

In Business Since 1993



- Satisfied Customers From Coast to Coast
- 100% American Made!
- 7 Year Limited Warranty

P.O. Box 501, Shidler, Oklahoma 74652

Phone (918) 793-3382 / Fax (918) 793-3383

CENTURY

Livestock Feeders, Inc.



8' x 66" HORSE FEEDER



8' x 32" HORSE OR COW FEEDER

"THE RULES HAVE CHANGED"

Polyethylene is the perfect material for constructing livestock feeders. All stainless steel hardware is used to secure 2" rings to 3" legs. The standard feeder is 8' in diameter and 46" high, and is lightweight, yet very durable.

A feeder that has **PROVEN** to be "bull tough" and will provide years of trouble free service at a very affordable price.

The needs of your operation are important to us at **Century Livestock Feeders, Inc.** and we stand behind our 7 year limited warranty. You have a choice, and we hope it's a Century Feeder!

Thank You,
Century Livestock Feeders, Inc.



CENTURY FEEDERS ARE PERFECT FOR BISON
(This feeder has been trouble free since 1996 in New Rockford, ND.)

Products Built to Last More Than 50 Years!

HEAT FUSION

Hay ring ends are joined together by using a butt fusion joining system that is the standard for polyethylene pipe. Joints are stronger than the pipe itself in tension and pressure tests.



8' x 66" BULL FEEDER

POLYETHYLENE PIPE

Polyethylene pipe was developed in the early 1950's by Phillip's Petroleum Company.

Polyethylene is lightweight yet extremely tough and durable. It can be cold bent 20-40 times the pipes diameter.

Also for all practical purposes is chemically inert, is not brittle, flexes, and bends and absorbs impact loads over a wide range of -180 degrees F to 260 degrees F.

Polyethylene is protected against degradation caused by ultraviolet rays from direct sunlight with finely divided carbon black which is the most effective single additive for enhancing weathering.

Life expectancy is conservatively, to be in excess of 50 years.

CENTURY

Livestock Feeders, Inc.

P.O. Box 501

Shidler, Oklahoma 74652

Phone (918) 793-3382

Fax (918) 793-3383

Products Built to Last More Than 50 Years!



Used and recommended by TOBAC.
Strength test - approximately 4,000 lbs. in feeder.

LIMITED WARRANTY

Century Livestock Feeders, Inc. warrants its products in their original condition to the original purchaser only, for normal use and service for seven years from the date of purchase, against defects in materials and workmanship. Only Century Livestock Feeders, Inc. is authorized to make any representation to the purchaser concerning the normal use and service for its products as described in this catalogue, or in authorized printed materials or stickers affixed to a product.

DISCLAIMER OF WARRANTIES

The limited warranty stated above is the exclusive warranty given by Century Livestock Feeders, Inc. to the original purchaser of any product, and Century Livestock Feeders, Inc. disclaims any other warranties. There are no other warranties, either expressed or implied, including any warranty of merchantability, fitness for a particular purpose, or arising from course of dealing or trade usage.

ALTERATION VOIDS WARRANTY

Any alteration or modification of any Century Livestock Feeders, Inc. product by any person is an unauthorized misuse of the product, resulting in the limited express warranty being void and thereby releasing Century Livestock Feeders, Inc. from any and all liability for injury or damages resulting from any use of the product.

LIMITATION OF LIABILITY

Century Livestock Feeders, Inc.'s liability for any product defect or claim for injury or damages is limited to repair or replacement, or payment of the reasonable cost of repair or replacement, at Century Livestock Feeders, Inc.'s sole discretion F.O.B. Shidler, Oklahoma. Century Livestock Feeders, Inc. shall not be liable in any event for consequential or other special damages under any theory of strict liability of negligence, except as expressly required by law.



8' X 60" 5 RINGS + BARS FEEDER